

solid state communications

an international journal

volume 111



Pergamon

BOARD OF EDITORS

Editor	E-mail address
H. AKAI, <i>Japan</i>	akai@phys.sci.osaka-u.ac.jp
P. BURLET, <i>France</i>	burlet@drfmc.ceng.cea.fr
C. CALANDRA, <i>Italy</i>	calandra@imoax1.unimo.it
K.-A. CHAO, <i>Sweden</i>	koung-an.chao@teorfys.lu.se
R.G. CLARK, <i>Australia</i>	rgc@newt.phys.unsw.edu.au
M.F. COLLINS, <i>Canada</i>	mcollins@mcmill.cis.mcmaster.ca
J.H. DAVIES, <i>U.K.</i>	jdavies@elec.gla.ac.uk
P.H. DEDERICH, <i>Germany</i>	p.h.dederichs@fz-juelich.de
F.J. DISALVO, <i>U.S.A.</i>	fd3@cornell.edu
R.C. DYNES, <i>U.S.A.</i>	rcd@ucsd.edu
A.L. EFROS, <i>U.S.A.</i>	efros@physics.utah.edu
H. ESCHRIG, <i>Germany</i>	h.eschrig@ifw-dresden.de
Z.Z. GAN, <i>People's Republic of China</i>	zzgan@ibm320h.phy.pku.edu.cn
C.E.T. GONÇALVES DA SILVA, <i>Brazil</i>	cylon@lnls.anp.br
M. GRYNBERG, <i>Poland</i>	grynberg@fuw.edu.pl
M. HEIBLUM, <i>Israel</i>	heiblum@wis.weizmann.ac.il
E.L. IVCHENKO, <i>Russia</i>	ivchenko@coherent.ioffe.rssi.ru
J. JOFFRIN, <i>France</i>	joffrin@lps.u-psud.fr
B. JUSSELAND, <i>France</i>	bernard.jusserand@cnet.francetelecom.fr
H. KAMIMURA, <i>Japan</i>	kamimura@klabsun.yy.kagu.sut.ac.jp
L.V. KELDYSH, <i>Russia</i>	keldysh@sci.lebedev.ru
J. KÜHL, <i>Germany</i>	kuhl@servix.mpi-stuttgart.mpg.de
D.J. LOCKWOOD, <i>Canada</i>	david.lockwood@nrc.ca
H. VON LÖHNESEN, <i>Germany</i>	h.vl@pihp1.physik.uni-karlsruhe.de
S.G. LOUIE, <i>U.S.A.</i>	louie@jungle.berkeley.edu
A.H. MACDONALD, <i>U.S.A.</i>	ssc@gibbs.physics.indiana.edu
E.E. MENDEZ, <i>U.S.A.</i>	emendez@ccmail.sunysb.edu
E. MOLINARI, <i>Italy</i>	molinari@unimo.it
C.A. MURRAY, <i>U.S.A.</i>	camurray@lucent.com
R.T. PHILLIPS, <i>U.K.</i>	rtp1@phy.cam.ac.uk
C.N.R. RAO, <i>India</i>	cnrrao@jncasr.ac.in
P. SHENG, <i>China</i>	phsheng@ust.hk
T. TSUZUKI, <i>Japan</i>	tsuzuki@cmpt01.phys.tohoku.ac.jp
S. USHIODA, <i>Japan</i>	ushioda@ushioda.riec.tohoku.ac.jp
D.E. VAN DYCK, <i>Belgium</i>	van_dyck@ruca.ua.ac.be
P. WACHTER, <i>Switzerland</i>	wachter@solid.phys.ethz.ch
F. YNDURÁIN, <i>Spain</i>	yndurain@polar.fmc.uam.es
A. ZAWADOWSKI, <i>Hungary</i>	zawa@phy.bme.hu

PRODUCTION CONTACT

RAM Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.
E-mail: ssc@elsevier.co.uk

SOLID STATE COMMUNICATIONS is a companion journal to THE JOURNAL OF PHYSICS AND CHEMISTRY OF SOLIDS.

Publishing Offices: Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010, U.S.A.; Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Tel., Oxford (01865) 843000. Fax., Oxford (01865) 843010.

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, U.S.A.; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Gresle-Farthing, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.gresle-farthing@elsevier.co.uk

Publication information: *Solid State Communications* (ISSN 0038-1098). For 1999, volumes 109–112 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (<http://www.elsevier.nl/locate/ssc>). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (<http://www.elsevier.nl>). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you: **New York:** Elsevier Science, PO Box 945, New York, NY 10159-0945, U.S.A.; phone: (+1) (212) 633 3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633 3680; e-mail: usinfo-f@elsevier.com. **Amsterdam:** Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl. **Tokyo:** Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp. **Singapore:** Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192; phone: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asiainfo@elsevier.com.sg. **Rio de Janeiro:** Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Back Issues: Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science offices (Oxford, New York). Periodicals postage is paid at Rahway, NJ. *Solid State Communications* (ISSN 0038-1098) is published four issues per month January to December in four volumes, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The US subscription price is \$3080 per year.

POSTMASTER: Send address corrections to *Solid State Communications*, c/o Elsevier Science Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A.

Distributed in the U.S.A. by Mercury Airfreight International, 365 Blair Rd, Avenel, NJ 07001, U.S.A.

VOLUME 111, NUMBER 1

(Published 4 June 1999)

CONTENTS

	v	Editorial Note
A. Yacoby, H.F. Hess, T.A. Fulton, L.N. Pfeiffer and K.W. West	1	Electrical imaging of the quantum Hall state
Š. Pick	15	Magnetic anisotropy calculation: implementation of the torque method into the recursion-technique scheme
T. Heine, P.W. Fowler and G. Seifert	19	C ₃₆ : from dimer to bulk
M. Maaza, J.P. Chauvineau, B. Pardo, A. Raynal, A. Menelle, F. Bridou and J. Corno	23	V-Ni multilayered monochromators and supermirrors for cold neutrons
M. Grottel and R. Jakubas	29	NMR study of the pyridinium cation motions in (C ₅ H ₅ NH) ₆ Bi ₄ Cl ₁₈
A. Tiwari and K.P. Rajeev	33	Low-temperature electrical transport in La _{0.7} A _{0.3} MnO ₃ , (A: Ca, Sr, Ba)
W. Kempański	39	Intercalation of C ₆₀ by alkali metals: kinetics of transient states formation
V. Damodara Das and S. Selvaraj	43	Electrical conduction studies on Bi ₂ (Te _{0.8} Se _{0.2}) ₃ chalcogenide thin films
V.V. Krivolapchuk, E.S. Moskalenko, A.L. Zhmodikov, T.S. Cheng and C.T. Foxon	49	Collective properties of spatially indirect excitons in asymmetric GaAs/AlGaAs double quantum wells
S. Lotha, A. Ingale, D.K. Avasthi, V.K. Mittal, S. Mishra, K.C. Rustagi, A. Gupta, V.N. Kulkarni and D.T. Khathing	55	Effect of heavy ion irradiation on C ₆₀

I Keywords

VOLUME 111, NUMBER 2

(Published 8 June 1999)

CONTENTS

M. Haddad, R. André, R. Frey and C. Flytzanis	61	Enhanced Faraday rotation in an asymmetric semiconductor microcavity
D.B. Tran Thoai and H. Thien Cao	67	Subband renormalization of highly excited quantum-well wires
A.R. Pereira and A.S.T. Pires	73	Magnon waveforms in the presence of a vortex-pair in easy-plane antiferromagnets
G. Srinivasan, S.K. Georgiadis and M. Hildebrandt	79	Magnetic properties of the mixed oxide LaMnO ₃ -ABO ₃ (AB=PbZr, BaTi)
P.S. Goyal, V.K. Aswal, A. Inaba, W. Kagunya and C.J. Carlile	85	Tunnelling states and anomalous specific heat of disordered solids at low temperatures
T.W. Kim and M. Jung	89	Magnetotransport studies of the two-dimensional electron gas in modulation-doped Al _x Ga _{1-x} As/In _y Ga _{1-y} As/GaAs asymmetric step quantum wells
L. Kovács, S. Erdei and R. Capelletti,	95	OH ⁻ vibrational band in YVO ₄ crystals
Y.-M. Zhou, S.-C. Wu and D.-S. Wang	101	First principles calculation of the interface state in fcc-Fe/Cu(111)
M. Polomska, J.-L. Sauvajol, A. Graja and A. Girard	107	Resonant Raman scattering from single crystals (Ph ₄ P) ₂ C ₆₀ ·Y, where Y=Cl, Br, I
C. Ji, J. Yang, W. Mao and Y. Yang	113	Micromagnetic study of Nd ₂ Fe ₁₄ B/α-Fe and Nd ₂ Fe ₁₄ B/Fe ₃ B nanocomposite magnets

I Keywords

VOLUME 111, NUMBER 3

(Published 16 June 1999)

CONTENTS

- | | | |
|--|-----|--|
| T. Kraft and J. Walter | 119 | Raman spectroscopic investigation of TaCl ₅ –GIC and products of its partial hydrolysis |
| G. Park, J. Sel, S. Bu and I.-H. Song | 125 | Dielectric properties of (K _{0.4} Na _{0.6}) ₂ (Sr _{0.6} Ba _{0.4}) ₄ Nb ₁₀ O ₃₀ thin films fabricated by RF magnetron sputtering method |
| T. Saito, Y. Akita, M. Tokumoto, P.W. Stephens and K. Tanaka | 131 | Synthesis and characterization of liquid-phase prepared RbC ₆₀ |
| T. Yamamoto, T. Tanaka, T. Matsuyama, T. Funabiki and S. Yoshida | 137 | XAFS study of the structure of the silica-supported ytterbium oxide catalyst |
| K. Nomura and H. Kamimura | 143 | Tight-binding Hamiltonians for superconducting YBa ₂ Cu ₃ O ₇ |
| M. Drulis, W. Iwasieczko, P. Gaczyński and H. Drulis | 149 | Intermediate valence in the ytterbium hydride—the specific heat evidence |
| Y. Echizen, K. Umeo and T. Takabatake | 153 | Superconductivity and magnetoresistance in a single-crystal LaNiSn |
| Y. Zhao, C.H. Cheng and H. Zhang | 159 | Influences of flux flow on a.c. loss per cycle in superconductors |
| W. Mao, C. Ji, H. Chang, B. Cheng, Y. Yang, L. Wang, F. Li, H. Du, Y. Xue and B. Zhang | 165 | Study on the magnetic moments of PrFe _{10.5} V _{1.5} and PrFe _{10.5} V _{1.5} N _x compounds |
| H. Qin, X. Gu, H. Lu, J. Liu, X. Huang and K. Chen | 171 | Observation of Coulomb-blockade in a field-effect transistor with silicon nanocrystal floating gate at room temperature |
| | I | Keywords |

VOLUME 111, NUMBER 4

(Published 18 June 1999)

CONTENTS

- | | | |
|--|-----|---|
| N. Tomita and K. Nasu | 175 | Difference between the small one-electron gap and the large optical gap in one-, two-, and three-dimensional half-filled Hubbard models |
| I. Loa, S. Gronemeyer, C. Thomsen and R.K. Kremer | 181 | Low-energy magnetic excitations in the dimerized and incommensurate phase of CuGeO ₃ |
| U. Hohenester, F. Rossi and E. Molinari | 187 | Few-particle effects in the optical spectra of semiconductor quantum dots |
| L.R. Tessler | 193 | The origin of visible photoluminescence in low power a-Si _{1-x} C _x :H with $x > 0.2$ |
| D. Djajaputra and J. Ruvalds | 199 | Spin susceptibility divergence in high-temperature superconductors |
| A. Pietraszko and W. Bronowska | 205 | Rb ₂ Li ₄ (SeO ₄) ₃ ·2H ₂ O—the new crystal of selenates hydrates family |
| G. Ghislotti, D. Ielmini, E. Riedo, M. Martinelli and M. Dellagiovanna | 211 | Picosecond time-resolved luminescence studies of recombination processes in CdTe |
| E.S. Rodrigues, E.V. Anda, P. Orellana and H.N. Nazareno | 217 | Non-linear effects in resonant tunnelling through a quantum dot |
| Y.C. Wang, W.C. Hwang, Z.P. Yang, G.S. Chang and J.S. Hwang | 223 | Studies of lattice-matched InGaAs/InAlAs single quantum well by photorefectance spectroscopy and wet chemical etching |
| T.H. Yeom, I.G. Kim, S.H. Choh, K.S. Hong, Y.J. Park and S.-K. Min | 229 | Nuclear magnetic relaxation studies of ⁶⁹ Ga, ⁷¹ Ga, and ⁷⁵ As nuclei in GaAs single crystals doped with paramagnetic impurities |

- I Author Index
 III Keywords

VOLUME 111, NUMBER 5

(Published 2 July 1999)

CONTENTS

- | | | |
|---|-----|--|
| B. Thomas, K. Ellmer, W. Böhne, J. Röhrich, M. Kunst and H. Tributsch | 235 | Photoeffects in cobalt doped pyrite (FeS ₂) films |
| Z.P. Guan, G.K. Kuang, E. Griehl, M.J. Kastner and W. Gebhardt | 241 | Exciton-longitudinal optical phonon coupling in a ZnSe-Zn _{0.75} Cd _{0.25} Se double-superlattice at 1.4 K |
| C.P. Yang, Y.Z. Wang, G.H. Wu, B.P. Hu, J. Du, X.F. Han, J.L. Wang, Z.L. Jiang and J. Zhu | 247 | Crystallographic and magnetic properties of a TB ₃ (Fe,Cr) ₂₉ single crystal |
| K.R. Allakhverdiev | 253 | Two-photon absorption in layered TlGaSe ₂ , TlInS ₂ , TlGaS ₂ and GaSe crystals |
| V.N. Narozhnyi, V.N. Kochetkov, A.V. Tsvyashchenko and L.N. Fomicheva | 259 | Hall effect study in YbNi ₂ B ₂ C borocarbide |
| S. Chaudhary, S.B. Roy and P. Chaddah | 263 | Anomalous peak-effect in CeRu ₂ : effect of disorder |
| D. Fuks | 269 | Integral thermodynamic properties of tungsten and molybdenum in effective potential approach |
| J. Belkessa and M. Combescot | 275 | Size dependance of impurity levels in quantum dots: exact versus variational results |
| D. Cherns, J. Barnard and F.A. Ponce | 281 | Measurement of the piezoelectric field across strained InGaN/GaN layers by electron holography |
| C.-H. Yan, Z.-G. Xu, F.-X. Cheng, Z.-M. Wang, L.-D. Sun, C.-S. Liao and J.-T. Jia | 287 | Nanophased CoFe ₂ O ₄ prepared by combustion method |

I Keywords

VOLUME 111, NUMBER 6

(Published 9 July 1999)

CONTENTS

- | | | |
|--|-----|--|
| | v | Editorial Note |
| C. Godet, T. Heitz, J.E. Bourée, B. Bouchet, J. Dixmier and B. Drévillon | 293 | Correlation between luminescence properties and microstructure of hydrogenated amorphous carbon films investigated by X-ray diffraction and infrared ellipsometry |
| S.E. Enescu, I. Bibicu, M.N. Grecu and A. Kluger | 299 | Recoilless Rayleigh scattering on Rb ₂ ZnCl ₄ around the normal-incommensurate phase transition point |
| R. Citro | 305 | Fermi surface evolution in the <i>p</i> - <i>d</i> model |
| Z.P. Guan and T. Kobayashi | 311 | Electroreflection from higher subband transitions in a ZnSe-Zn _{0.8} Cd _{0.2} Se superlattice |
| M. Phillips and H. Wang | 317 | Coherent oscillation in four-wave mixing of interacting excitons |
| N. Randrianantoandro, E. Gaffet, J. Mira and J.-M. Greneche | 323 | Magnetic hyperfine temperature dependence in Fe-Si crystalline alloys |
| M. Gener, E. Canadell, S.S. Khasanov, L.V. Zorina, R.P. Shibaeva, L.A. Kushch and E.B. Yagubskii | 329 | Band structure and Fermi surface of the (BEDT-TTF) ₄ M[Fe(CN) ₅ NO] ₂ (M = Na, K, Rb, . . .) molecular metals containing the photochromic nitroprusside anion |
| J. Guevara, A.M. Llois, F. Aguilera-Granja and J.M. Montejano-Carrizales | 335 | Structural evolution of free Co cluster magnetism |

- | | | |
|--|-----|---|
| A. Thander and B. Mallik | 341 | Spectroscopic investigation on the photoinduced charge-transfer between ferrocene and chloroform molecules confined in a poly-(methyl methacrylate) thin film |
| S.-K. Park, M.-S. Baek, S.-C. Bae, S.-Y. Kwun, K.-T. Kim and K.-W. Kim | 347 | Properties of LiNbO ₃ thin film prepared from ceramic Li–Nb–K–O target |
| | I | Keywords |

VOLUME 111, NUMBER 7

(Published 14 July 1999)

CONTENTS

- | | | |
|--|-----|---|
| | v | Editorial Note |
| H.-J. Koo and M.-H. Whangbo | 353 | Analysis of the spin–spin interactions in layered oxides α' -NaV ₂ O ₅ , CaV ₂ O ₅ and MgV ₂ O ₅ and the spin-Peierls distortion in α' -NaV ₂ O ₅ by molecular orbital, Madelung energy and bond valence sum calculations |
| B.Sh. Bagautdinov, M.S. Novikova, I.P. Aleksandrova, M.K. Blomberg and G. Chapuis | 361 | X-ray study of phase transitions in Cs ₃ Sb ₂ I ₉ crystal |
| G.M. Maksimova, D.Yu. Vodolazov, M.V. Balakina and I.L. Maksimov | 367 | Effect of an edge barrier on magnetization and higher harmonics of a.c.-susceptibility of narrow superconducting film |
| A. Sekiyama, S. Suga, Y. Saitoh, S. Ueda, H. Harada, T. Matsushita, T. Nakatani, T. Iwasaki, K. Matsuda, M. Kotsugi, S. Imada, T. Takabatake, T. Yoshino, D.T. Adroja, R. Takayama, O. Sakai, H. Harima and T. Nanba | 373 | High resolution Ce 3d–4f resonant photoemission study of CeNiSn and CePdSn |
| P.D. Altukhov and E.G. Kuzminov | 379 | Condensation of a hot electron–hole plasma in tunneling silicon MOS structures |
| H.J. Choi and J. Ihm | 385 | Exact solutions to the tight-binding model for the conductance of carbon nanotubes |
| E.G. Maksimov, P.I. Arseyev and N.S. Maslova | 391 | Phonon assisted tunneling in Josephson junctions |
| R.I. Mashkovtsev and Yu.N. Pal'yanov | 397 | EPR of new nickel–nitrogen center in annealed synthetic diamond |
| Hua Wu, Zhi Zeng and Qing-qi Zheng | 403 | Influences of a non-spherical charge density upon the electronic structure of magnetic compounds |
| | I | Keywords |

VOLUME 111, NUMBER 8

(Published 23 July 1999)

CONTENTS

- | | | |
|---|-----|---|
| | v | Editorial Note |
| S.V. Korepov and M.A. Liberman | 409 | Scattering from defects in double quantum wires |
| Q. Huang, S. Pietzonka and R.G. Ulbrich | 415 | Raman scattering on crystallites growing at the interface of Au and amorphous Si during annealing |

T. Hirata	421	Orientation dependence of infrared spectra on thermal oxidation and subsequent etching of single crystal Si
U. Pal and J. Garcia-Serrano	427	Infrared absorption and evidence of Si ₃ nanocluster formation in Si/ZnO composites
S. Dusane, T. Bhave, S. Hullavard, S.V. Bhoraskar and S. Lokhare	431	Electron exo-emission study of PECVD and thermal CVD silicon rich silicon oxide
M. Abbate, G. Zampieri, F. Prado, A. Caneiro and A.R.B. de Castro	437	Comparative study of the unoccupied electronic structure of La _{1-x} Ca _x MnO ₃ and LaMnO _{3+δ} using O 1s X-ray absorption spectroscopy
V.P. Dymont, E.M. Nekrashevich and I.M. Starchenko	443	Initial description of a bulk crystalline carbon-nitride phase
N. Nogi, S. Tanaka, T. Noda and T. Hirata	447	Infrared-active A _{2u} and E _u modes in isotopically enriched β-rhombohedral boron
A. Paolone, P. Roy, G. Rousse, C. Masquelier and J. Rodriguez-Carvajal	453	Infrared spectroscopy investigation of the charge ordering transition in LiMn ₂ O ₄
E. Rauls, J. Elsner, R. Gutierrez and Th. Frauenheim	459	Stoichiometric and non-stoichiometric (10 $\bar{1}$ 0) and (11 $\bar{2}$ 0) surfaces in 2H-SiC: a theoretical study
	I	Author Index
	V	Keywords

VOLUME 111, NUMBER 9

(Published 29 July 1999)

CONTENTS

	v	Editorial Note
J. Dryzek, J. Kuriplach, E. Dryzek, C.A. Quarles and M. Šob	465	Positron study of α-uranium
K. Saito, H. Akutsu and M. Sorai	471	Glass transition in the organic superconductor with the highest T _c under ambient pressure, κ-(ET) ₂ Cu[N(CN) ₂]Br
M.P.J. Punkkinen	477	Correlated d-states in the perovskites KFeF ₃ and KCoF ₃
Lingdong Sun, Changhui Liu, Chunsheng Liao and Chunhua Yan	483	Optical properties of ZnS:Cu colloid prepared with sulfurous ligands
T.W. Kim and M.D. Kim	489	Effect of hydrogenation on the electrical and optical properties of p-type Zn _{1-x} Mg _x S _y Se _{1-y} epitaxial layers grown on GaAs (100) substrates
S. Savasta, G. Martino and R. Girlanda	495	Entangled photon pairs from the optical decay of biexcitons
D.V. Khveshchenko	501	Quantum point contact in a compressible Quantum Hall liquid
V. Vescoli, L. Degiorgi, K.P. Starkey and L.K. Montgomery	507	Anisotropy in the optical response of (TMTTF) ₂ X (X = PF ₆ and Br) Bechgaard salts
Ya.G. Ponomarev, E.B. Tsokur, M.V. Sudakova, S.N. Tchesnokov, M.E. Shabalin, M.A. Lorenz, M.A. Hein, G. Müller, H. Piel and B.A. Aminov	513	Evidence for strong electron–phonon interaction from inelastic tunneling of Cooper pairs in c-direction in Bi ₂ Sr ₂ CaCu ₂ O ₈ break junctions
H. Figiel, A. Budziak and J. Żukrowski	519	Hydrogen induced structural and magnetic transformation in the SmMn ₂ H ₂ compound
	I	Keywords

CONTENTS

- | | | |
|--|-----|---|
| R. Mahendiran, M.R. Ibarra, A. Maignan, C. Martin, B. Raveau and A. Hernando | 525 | A possible origin of colossal magnetoresistance in charge-ordered manganate $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ |
| N.V. Chandra Shekar, P.C. Sahu, M. Yousuf, K. Govinda Rajan and M. Rajagopalan | 529 | Structural stability and compressibility behaviour of dialuminides of cerium and gadolinium under high pressure |
| P.H. Bucksbaum and R. Merlin | 535 | The phonon Bragg switch: a proposal to generate sub-pico-second X-ray pulses |
| H.Q. Fan, L.T. Zhang, L.Y. Zhang and X. Yao | 541 | Non-Debye relaxation and the glassy behavior of disordered perovskite ferroelectrics |
| S.K. Joshi and A.M. Jayannavar | 547 | Successive crossover from ordinary Born scattering to multiple scattering to localization: a delay time analysis in electronically random systems |
| M. Koch, S.T. Cundiff, W.H. Knox, J. Shah and W. Stolz | 553 | Magnetoexciton quantum beats: influence of Coulomb correlations |
| M. Taniguchi, Y. Misaki, T. Yamabe, K. Tanaka, K. Murata and T. Mori | 559 | (CPDT-STF) (TCNQ): a new charge-transfer complex metallic down to low temperature |
| F. Brosens, J.T. Devreese, V.M. Fomin and V.V. Moshchalkov | 565 | Superconductivity in a wedge: analytical variational results |
| M. Dubois, A. Merlin and D. Billaud | 571 | Electron spin resonance in lithium and sodium electrochemically intercalated poly(paraphenylene) |
| L.Q. Wu, M.C. Huang, S.P. Li, Z.Z. Zhu and B.H. Zhuang | 577 | Conduction-band-edge variations of pseudomorphic $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ alloys grown on (110) Si and Ge substrates |
| L. De Santis and R. Resta | 583 | Surface reconstructions and bonding via the electron localization function: the case of Si(001) |
| S.N. Klimin, V.M. Fomin, J.T. Devreese and V.V. Moshchalkov | 589 | Superconductivity in a wedge with a small angle: an analytical treatment |
| | I | Keywords |

CONTENTS

- | | | |
|--|-----|--|
| T. Pusztai, G. Oszlányi, G. Faigel, K. Kamarás, L. Gránágy and S. Pekker | 595 | Bulk structure of phototransformed C_{60} |
| A. Bhattacharjee | 601 | Effect of non-magnetic organic cation (A) on the magnetic properties of $\text{ANi}^{\text{II}}[\text{Fe}^{\text{III}}(\text{ox})_3]$, $\text{A} = \text{N}(\text{n-C}_4\text{H}_9)_4^+$ and $\text{N}(\text{n-C}_3\text{H}_7)_4^+$ |
| M. Mito, T. Kawae, Y. Hosokoshi, K. Inoue, M. Kinoshita and K. Takeda | 607 | Pressure-induced crossover from alternating to uniform interaction in a $S = 1/2$ one-dimensional Heisenberg antiferromagnet |
| J. Cieślak, S.M. Dubiel and B. Sepiol | 613 | In situ Mössbauer-effect study of the kinetics of the σ -phase formation |
| D. Selvanathan, W.J. Bresser, P. Boolchand and B. Goodman | 619 | Thermally reversing window and stiffness transitions in chalcogenide glasses |
| G. Kuang, W. Gebhardt, E. Griehl, U. Boell, A. Kronschnabel, H. Preis and G. Lautner | 625 | Observation of strong biexcitonic luminescence in $\text{ZnMgSe}/\text{ZnSe}$ single quantum well |

G.J. Hu, L. Zhang, N. Dai, L.Y. Chen and M.C. Tamargo	631	Persistent photoconductivity in Ga δ -doped ZnSe
K.K. Tiong, C.H. Ho and Y.S. Huang	635	The electrical transport properties of ReS ₂ and ReSe ₂ layered crystals
W. Cheng, J.B. Xia, M.S. Jeong, X.L. Huang, J.Y. Kim, S.H. Ihm, E.-K. Suh and H.J. Lee	641	Observation of field-driven blue shift in δ -doped Si n-i-p-i multiple quantum wells
S.-L. Zhang, B.-F. Zhu, F. Huang, Y. Yan, E.-y. Shang, S. Fan and W. Han	647	Effect of defects on optical phonon Raman spectra in SiC nanorods
W.-S. Liu and S.-J. Xiong	653	Metal-insulator transition in anisotropic system with a random magnetic field
G. Li, S.J. Chua and W. Wang	659	The Hall mobility and its relationship to the persistent photoconductivity of undoped GaN
	I	Keywords

VOLUME 111, NUMBER 12

(Published 24 August 1999)

CONTENTS

	v	Editorial Note
F.M. Munteanu, Yongmin Kim, C.H. Perry, D.G. Rickel, J.A. Simmons and J.L. Reno	665	Photoluminescence detected doublet structure in the integer and fractional quantum Hall regime
K.K. Nanda and S.N. Sahu	671	Photoluminescence of CdS nanocrystals: effect of ageing
G.Kh. Azhdarov, R.Z. Kyazimzade and M. Hostut	675	Deep impurity levels in Ge _{1-x} Si _x alloys
C.H. Chen and Y.F. Chen	681	Optical properties of n-type porous silicon obtained by photo-electrochemical etching
R. Przeniosło, I. Sosnowska, D. Hohlwein, T. Hauß and I.O. Troyanchuk	687	Magnetic ordering in the manganese perovskite CaMn ₇ O ₁₂
K. Murayama, N. Katagiri, S. Miyazaki and M. Hirose	693	Thermalization gaps of the ultra-thin a-Si:H well layers in a-Si:H/a-Si ₃ N ₄ :H multilayers
A. Kuriyama, S. Takaoka, K. Oto, K. Murase, S. Shimomura, S. Hiyamizu, M. Chkr, T. Jungwirth and L. Smrčka	699	Cyclotron resonance in double-layer two-dimensional electron system in tilted magnetic fields
W.J. Yu, Y.I. Kim, D.H. Ha, J.H. Lee, Y.K. Park, S. Seong and N.H. Hur	705	A new manganese oxide with the Aurivillius structure: Bi ₂ Sr ₂ Nb ₂ MnO _{12-δ}
O.A. Shlyakhtin, Young-Jei Oh and Yu.D. Tretyakov	711	Influence of chemical prehistory on the colossal magneto-resistance of La _{0.7} Ca _{0.3} MnO ₃ ceramics
F.J. García-Rodríguez, F. Pérez-Robles, A. Manzano-Ramírez, Y.V. Vorobiev and J. González-Hernández	717	Oxygen diffusion in silica glass prepared by the sol-gel method
Y.D. Juang, S.B. Dai, Y.C. Wang, W.Y. Chou, J.S. Hwang, M.L. Hu and W.S. Tse	723	Phase transition of Li _x Na _{1-x} NbO ₃ studied by Raman scattering method
A. Nag, A. Sengupta and D. Ghosh	729	Study of the magnetic susceptibility and anisotropy properties of Tm ³⁺ diglycollate crystal for evaluating crystal field effects
A.S. Shalabi, M.M. Assem, S. Abdel-Aal, M.A. Kamel and M.M. Abd El-Rahman	735	Adsorption of He and Ne on regular, irregular and defected surfaces of LiH crystal: ab initio study
O.M. Schmitt, L. Bányai and H. Haug	741	Exciton and biexciton correlations for weakly confined semiconductor quantum wires

H.J. Lozykoswki, W.M. Jadwisienczak and
I. Brown

747 Corrigendum: Cathodoluminescence of GaN doped with Sm
and Ho

I Volume III Index

XI Author Index

XVII Keywords

